

(X)

SHOP FIT FIX

SHOP FIT
SOLUTIONS
PRICELIST
2025

Designed in Great Britain.
Manufactured in the UK & EU.

SHOPFIX SYSTEMS

Since the conception of AirClad, we've had plans to integrate all the necessary features to create a truly plug & play shop fit.

Our unique design and engineering allows for seamless integration of ShopFix elements in the EXPRO System. No other product on the market has been designed with a vision for event retail at its core, like AirClad.

Integral to our structures is the modular SpaceFrame, which, in addition to providing structural rigidity, delivers the capability for overlay customisations from our core range of accessories. We also have your back if you decide to hack our system and bring in completely bespoke parts. We encourage creativity to bring space to life.

(XPLAY)

The future of event retail comes neatly packaged with the addition of XPLAY. Our plug & play, interior shop fit is designed to enrich the customer journey with intuitive design and a wide range of merchandise supports. XPLAY creates an efficient retail platform for maximum return with shelves and storage that can be continually reconfigured on multiple levels in full and half width bays. All parts can be installed by one or two people once the system is built without the need for any additional fixings.

XPLAY products can be fully branded. Shelves and storage are produced in a core of white and anodised aluminium but can be produced in bespoke colours with laser-cut branding upon request.

visplay

AirClad has worked closely with Visplay to incorporate their shop fit solutions into the world of mobile spaces. Their unique product offering includes a wide a range of accessories with in-built illumination, helping to bring your space to life. A wider range of plug and play shelving, storage and accessories are available on request.

For more information on Visplay products please visit: visplay.com/en



AIRCLAD (X)



An AirClad X Pricelist

(X) P LAY


PARTS & PRICES

(X)

YD

ALU SINGLE

- Full Bay Width
- Alu Construction
- Single Shelf



Single shelf spanning the full width of a bay. Comprising silver anodised aluminium shelf and hanging supports with stainless steel hardware.

2399

430

270

11.5

€ 295

Width
(mm)

Height
(mm)

Shelf Depth
(mm)

Weight
(kg)

SW-SS




(XPLAY)

An AirClad X Pricelist

ALU RAIL

- Full Bay Width
- Alu Construction
- Single Shelf + Hanging Rail



Single shelf with hanging rail spanning the full width of a bay. Comprising silver anodised aluminium shelf, rail and hanging supports with stainless steel hardware.

2399	287.5	270	14.6
Width (mm)	Height (mm)	Shelf Depth (mm)	Weight (kg)

€ 380

SW-SSHR





(XPLAY)

An AirClad X Pricelist



ALU DOUBLE

- Full Bay Width
- Alu Construction
- Double Shelf



Double shelf spanning the full width of a bay. Comprising silver anodised aluminium shelves and hanging supports with stainless steel hardware.

2399

430

270

22.8

€ 460

Width
(mm)

Height
(mm)

Shelf Depth
(mm)

Weight
(kg)

SW-DS



(XPLAY)

An AirClad X Pricelist





GOODWOOD ROAD RACING CLUB
GOODWOOD FESTIVAL OF SPEED

presented by



GOODWOOD FESTIVAL OF SPEED



GOODWOOD FESTIVAL OF SPEED

GOODWOOD FESTIVAL OF SPEED

GOODWOOD FESTIVAL OF SPEED



[XPLAY]



Get 10% when you spend more at the Goodwood Shop when you pay with your Mastercard

GOODWOOD FESTIVAL OF SPEED

An AirClad X Pricelist

21

LAM SINGLE

- Half Bay Width
- 24mm White Laminate
- Single Shelf



Single shelf spanning half the width of a bay. Comprising a white MDF laminate shelf and anodised aluminium hanging supports with stainless steel hardware.

1190

250

270

7

€ 175

Width
(mm)


Height
(mm)

Shelf Depth
(mm)

Weight
(kg)

SW-LS





An AirClad X Pricelist

LAM RAIL

- Half Bay Width
- 24mm White Laminate
- Single Shelf + Hanging Rail



Single shelf and hanging rail spanning half the width of a bay. Comprising a white MDF laminate shelf, anodised aluminium rail and hanging supports with stainless steel hardware.

1190

360

270

9

€ 250

Width
(mm)

Height
(mm)

Shelf Depth
(mm)

Weight
(kg)

SW-LR



(XPLAY)





An AirClad X Priceist

AIRCLAD (X)

LAD (X)

LAM DOUBLE

- Half Bay Width
- 24mm White Laminate
- Double Shelf



Double shelf spanning half the width of a bay. Comprising white MDF laminate shelves and anodised aluminium hanging supports with stainless steel hardware.

1190

520

425

14

€ 320

Width
(mm)

Height
(mm)

Shelf Depth
(mm)

Weight
(kg)

SW-LD



(XPLAY)



An AirClad X Pricelist



HOKA

HOKA
TIME TO RY

HOKA

GLIDE


GLIDE

(X)





CAB OPEN

Half-width 18mm Open Cabinet Laminated White



Open storage unit with 4 compartments, made from white melamine-faced, high-density fibre board and integrated anodised aluminium hanging sides with stainless steel fixings.




1182 485 501 | 28 € 860



Width (mm) **Height** (mm) **Cab Depth** (mm) **Weight** (kg) SW-CO

CAB DRAW

Half-width 18mm Draw Cabinet Laminated White



Drawer storage unit with 4 compartments, made from white melamine-faced, high-density fibre board and integrated anodised aluminium hanging sides with stainless steel fixings.



1182 485 501 | 38 € 1500



Width (mm) **Height** (mm) **Depth** (mm) **Weight** (kg) SW-CDr

CAB DOOR

Half-width 18mm Door Cabinet Laminated White



Hinged door storage unit with 2 compartments, made from white melamine-faced, high-density fibre board and integrated anodised aluminium hanging sides with stainless steel fixings.



1182 485 501 | 38 € 1250

Width (mm) **Height** (mm) **Depth** (mm) **Weight** (kg) SW-CDo



(XPLAY)




(X)

(X)

An AirClad X Pricelist

SIDE WALL

- 2 per Bay - 18mm White Laminate
- Same boards used for either system



Single wall panel made from white melamine-faced, high-density fibre board. With rear mounted hooks.

1180 2200 18 | 30.9

Width **Height** **Depth** **Weight**
(mm) (mm) (mm) (kg)

€ 458

SW-SW-H





(XPLAY)

An AirClad X Pricelist

BRANDED SIDE WALL

- 2 per Bay - 18mm Branded / Wrapped Laminate
- Applied, fully-branded vinyl graphics from £165/m²
- Same boards used for either system



Single wall panel made from white melamine-faced, high-density fibre board. With rear mounted hooks.

1180	2200	18	30.9
Width (mm)	Height (mm)	Depth (mm)	Weight (kg)

€ 770

SW-SW-H






An AirClad X Pricelist

CONFIGURE

The below demonstrates the flexibility and visual enhancement the XPLAY can provide for merchandise overlays for your brand. The fixtures are available in individualised colours with laser-cut branding at additional costs and are available worldwide.



(X)



An AirClad X Pricelist



(X)



An AirClad X Pricelist

visplay

PARTS & PRICES

MONO 20 P/L

Single Point Support System

Mono 20 P/L is a single point support system that opens up an abundance of creative layout options for wall displays. Its round holder has an inner diameter of 20 mm and conceals a current output element. Once the holders have been installed in wall panels, diverse merchandise supports and fittings can be hooked into place and are secured against twisting or unintentional removal with a catch. Shelves with integrated LED lamps are automatically powered once inserted. Thanks to the system's electrification (24 V), monitors and digital devices can also be integrated into the display.


Included in package | € 1554

Mono 20 P/L single point support system

Set of cover caps

24v Electrics

Side Wall







MONO 20 P/L

Accessories

Shoe shelf with LED lighting

electrified, one shoe





Nominal voltage = 24 V DC
Electric power: 2 W
Colour temperature: 3000 K SDCM3
Colour rendering index: 92
Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 5 kg

Black steel duro **991-003.26 | €92.40**

Shoe shelf

without electrification, one shoe




Max. weight load = 5 kg

Black steel duro **991-004.26 | €37.60**

Shoe shelf with LED lighting

electrified, pair of shoes





Nominal voltage = 24 V DC
Electric power: 2 W
Colour temperature: 3000 K SDCM3
Colour rendering index: 92
Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 5 kg

Black steel duro **991-005.26 | €103.60**

Shoe shelf


without electrification, pair of shoes



Max. weight load = 5 kg

Black steel duro **991-050.26 | €62.80**

Front arm, straight Ø 20 mm




Max. weight load = 20 kg

Silk	
100 mm	395-283.30 €20.70
300 mm	395-287.30 €26.30
Black steel duro	
100 mm	395-283.26 €18.60
300 mm	395-287.26 €23.30

Hanging rail Ø 20 mm, 600 mm

T arm



Max. weight load = 15 kg

Silk	395-310.30 €81.90
Black steel duro	395-310.26 €75.90



INVISIBLE 6 P/L

Horizontal Support System


Invisible 6 P/L is the electrified model (24 V) in the Invisible Design product family – a horizontal system. Aluminium profiles form the basic element of this system. For added design creativity, Invisible Change uprights can be used as a substructure. Diverse merchandise supports and fittings are hooked into the profile and can be repositioned anywhere along its length as required – for a personalised layout. The profile slit is 6 mm in width – it conceals a power rail that automatically supplies electricity to merchandise supports and fittings with LED lighting. Thanks to the system's electrification (24 V), monitors, digital devices and electronic shelf labels can also be integrated.

Included in package | € 2154

Invisible 6 P/L horizontal support system

24v Electrics

Side Wall






An AirClad X Priceist

INVISIBLE 6 P/L

Accessories

Glass shelf with LED lighting

Fashion



Safety glass 6 mm.

To be inserted into electrical profile.

The glass in the area closest to the LED profile is 3°C warmer than the ambient temperature.

Nominal voltage = 24 V DC

Electric power: 6 W / 10 W / 12 W

Colour temperature: 3000 K SDCM3

Colour rendering index: 92

Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 20 kg

Max. display depth = 365 mm

lighting: natural anodised aluminium.
safety glass, clear

620 mm (6W) **704-333.43 | €229.50**


995 mm (10W) **704-334.43 | €293.30**

1245 mm (12W) **704-335.43 | €344.30**

More finishes available on request

Clarea LED shelf

Fashion



Aluminium compound shelf with film coating.

Integrated lighting: spotlights at front, LED strip at back, illuminated perimeter

Nominal voltage = 24 V DC

Electric power: 21 W

Colour temperature: 3000 K

Luminous flux: CRI > 92


Max. weight load = 20 kg

Film white matt, structured

620 mm (21 W) **703-911.23 | €508.10**

Glass Shelf

Fashion



Safety glass 6 mm.

To be inserted into profile.

Max. weight load = 20 kg

Max. display depth = 395 mm

safety glass, clear

620 x 420 mm **131-747.01 | €27.50**



995 x 420 mm **131-748.01 | €42.10**

1245 x 420 mm **131-749.01 | €52.30**

More finishes available on request

Glass shelf with LED lighting

Fashion



Safety glass 6 mm.

To be inserted into electrical profile.

The glass in the area closest to the LED profile is 3°C warmer than the ambient temperature.

Nominal voltage = 24 V DC

Electric power: 7 W / 10 W

Colour temperature: 4000 K SDCM3

Farbwiedergabeindex: 92

Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 20 kg

Max. display depth = 200 mm

lighting: natural anodised aluminium.

safety glass, clear


788 mm (7W) **704-336.43 | €255.00**

988 mm (10W) **704-337.43 | €278.00**

More finishes available on request

Clarea LED shelf

Fashion



Aluminium compound shelf with film coating.

Integrated lighting: spotlights at front, illuminated perimeter

Nominal voltage = 24 V

Electric power: 24 W

Colour temperature: 4000 K

Luminous flux: CRI > 92



Max. weight load = 20 kg

Film white matt, structured

988 mm (24 W) **704-331.23 | €529.20**

Glass Shelf

Fashion



Safety glass 6 mm.

To be inserted into profile.

Max. weight load = 20 kg

Max. display depth = 395 mm

safety glass, clear

788 x 255 mm **318-137.01 | €27.50**


988 x 225 mm **318-138.01 | €42.10**

More finishes available on request

INVISIBLE 6 P/L

Accessories

Front arm, straight ø 25mm



Max. weight load = 25 kg

Silk

100 mm **987-326.30** | **€26.90**

300 mm **987-328.30** | **€35.20**


Black steel duro

100 mm **987-326.26** | **€24.90**

300 mm **987-328.26** | **€32.40**

Hanging rail ø 25 mm, 600 mm

T arm




Recommended for use in Invisible 6 P/L holder set.

Max. weight load = 20 kg

Silk **987-879.30** | **€81.90**

Black steel duro **987-879.26** | **€75.90**

Angled shelf 30°



For DIN A4 format.

Max. weight load = 3 kg

Bright silver duro **374-370.12** | **€24.10**

Black steel duro **374-370.26** | **€38.80**





An AirClad X Pricelist

XERO TWIN P/L

Vertical Support System


Xero Twin P/L is the electrified version of the Xero wall system - for both walls and mid-space superstructures. The system is based on vertical profiles made of aluminium. There are two options for mounting: either the profiles can be mounted on wooden panels or attached to the wall using a substructure. The panels can then be hung between the profiles using suspension sets. In this way, the elements can be easily replaced - and the room always appears in a new look.

Included in package | € 2394

Xero Twin P/L vertical support system

24v Electrics

Side Wall






XERO TWIN P/L

Accessories

Glass shelf with LED lighting

Fashion



Safety glass 6 mm.

To be inserted into electrical profile.

The glass in the area closest to the LED profile is 3°C warmer than the ambient temperature.

Nominal voltage = 24 V DC

- lighting 6 W for axis 617.5 mm

- lighting 10 W for axis 992.5 mm

- lighting 12 W for axis 1242.5 mm

Colour temperature: 3000 K SDCM3

Colour rendering index: 92

Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 25 kg

Max. display depth = 365 mm

lighting: natural anodised aluminium

console: bright silver duro safety glass, clear

for axis 617.5 mm **318-141.42 | €293.30**


for axis 992.5 mm **318-483.42 | €357.00**

for axis 1242.5 mm **318-142.42 | €382.60**

More finishes available on request

Glass shelf

Fashion



Safety glass 6 mm.

Max. weight load = 25 kg

Max. display depth = 395 mm

safety glass, clear

console: bright silver duro

for axis 617.5 mm **318-147.42 | €96.90**


for axis 992.5 mm **318-484.42 | €123.70**

for axis 1242.5 mm **318-148.42 | €140.30**

More finishes available on request

Glass shelf with LED lighting

Health & Beauty



Safety glass 6 mm.

To be inserted into electrical profile.

The glass in the area closest to the LED profile is 3°C warmer than the ambient temperature.

Nominal voltage = 24 V DC

- lighting 7 W for axis 792.5 mm

- lighting 10 W for axis 992.5 mm

Colour temperature: 4000 K SDCM3

Colour rendering index: 92

Luminous flux: 1000 lm/m with opal diffuser

Max. weight load = 25 kg

Max. display depth = 200 mm

lighting: natural anodised aluminium

console: bright silver duro safety glass, clear


for axis 792.5 mm **318-139.42 | €313.60**

for axis 992.5 mm **318-140.42 | €341.80**

More finishes available on request

Glass shelf

Health & Beauty



Safety glass 6 mm.

Max. weight load = 25 kg

Max. display depth = 225 mm


safety glass, clear
console: bright silver duro

for axis 792.5 mm **318-145.42 | €96.90**

for axis 992.5 mm **318-146.42 | €109.60**

More finishes available on request

Front arm, straight 30 x 15 mm




Silk **362-245.30 | €37.30**

Black steel duro **362-245.26 | €34.50**

Hanging rail 30 x 15 mm, 600 mm

T-arm



Max. weight load = 25 kg

Silk **362-246.30 | €90.90**



Black steel duro **362-246.26 | €85.40**

XERO TWIN P/L

Accessories

Hanging rail 30 x 15 mm

Rectangular tube



To be inserted into brackets for hanging rail.

Silk

Ito 620-2445mm **315-758.30** | **€50.80**



Black steel duro

Ito 620-2445mm **395-697.26** | **€37.30**

620-1245 mm => 2 brackets
1246-1870 mm => 3 brackets
1871-2445 mm => 4 brackets

Bracket 30 x 5 mm

for hanging rail 30 x 15 mm



Coat-hangers can slide along the entire length of the hanging rail.

Max. weight load = 25 kg per bracket

Silk

395-699.30 | **€49.40**


Black steel duro

395-699.26 | **€46.80**

At least 2 brackets are required per hanging rail.

Bracket 30 x 5 mm

for wooden or glass shelf



Max. weight load = 25 kg per bracket

Max. display depth = 380 mm

Silk

395-697.30 | **€39.90**

Black steel duro

395-697.26 | **€37.30**

At least 2 brackets are required per hanging rail.



(X)



BEAM

Vertical Support System


The understated vertical support system **Beam** offers a high level of flexibility for merchandise displays. Designed without front slots, its ingenious technology is invisible. The Beam profile can be installed on diverse panel materials or mounted on existing walls – whether plaster-board, wood, brick or glass. Merchandise supports, such as front arms, brackets, hanging rails, hooks or hook rails and sign holders, are simply hooked on to the profile at 50-mm increments. For special applications, Beam can also be used as a double-sided system.

Included in package | € 1070

Beam vertical support system

Fixing Set

Side Wall






BEAM

Accessories

Front arm, straight \varnothing 25 mm




Max. weight load = 20 kg

Silk

100 mm **984-709.30** | **€29.80**

300 mm **984-711.30** | **€36.00**

Hanging rail \varnothing 25 mm, 600 mm




Max. weight load = 20 kg

Silk **987-859.30** | **€87.40**

Bracket \varnothing 25mm

for hanging rail \varnothing 25mm



Coat-hangers can slide along the entire length of the hanging rail.


Max. weight load = 20 kg per bracket

Silk **987-870.30** | **€49.40**

At least 2 brackets are required per hanging rail.

Bracket ø 25mm

for hanging rail ø 25mm and shelf



Coat-hangers can slide along the entire length of the hanging rail.


Max. weight load = 20 kg per bracket

Max. display depth = 380 mm

Silk **987-895.30 | €57.90**

At least 2 brackets are required per hanging rail.

Hanging rail ø 25 mm



To be inserted into brackets for hanging rail.

Silk


1245 mm **906-332.30 | €42.10**

lto 620-2445 mm **906-333.30 | €33.60**

- 625 mm => 2 brackets
- 626-1245 mm => 3 brackets
- 1246-1800 mm => 4 brackets
- 1801-2445 mm => 5 brackets

Bracket ø 25mm

for wooden or glass shelf



Max. weight load = 20 kg per bracket

Max. display depth = 380 mm

Silk **987-921.30 | €36.00**


At least 2 brackets are required per hanging rail.

BEAM

Accessories

Support bracket

for wooden or glass shelf




Max. weight load = 20 kg per bracket

Max. display depth = 380 mm

Silk **987-913.30 | €71.70**

Bracket

for hanging rail 30 x 15 mm, oval




Max. weight load = 20 kg per bracket

Silk **984-831.30 | €55.90**

At least 2 brackets are required per hanging rail.

Hanging rail 30 x 15

oval tube




To be inserted into brackets for hanging rail 30 x 15 mm, oval.

Silk

Ito 620-2445 mm **306-400.30 | €27.60**

620-1245 mm => 2 brackets
1246-1870 mm => 3 brackets
1871-2445 mm => 4 brackets


Hook, straight \varnothing 7.5 mm



For hanging on back bar.
Max. weight load = 2 kg

Silk	
150 mm	920-265.30 €7.70
200 mm	920-266.30 €8.80
250 mm	920-267.30 €9.80
300 mm	920-247.30 €9.80

Hook, straight \varnothing 6 mm



For hanging on back bar.
Max. weight load = 2 kg

Silk	
100 mm	920-281.30 €6.50
150 mm	920-282.30 €7.10
200 mm	920-283.30 €7.70
250 mm	920-284.30 €8.80



Premium
Mountaineering
Products
NORRONA





An AirClad X Pricelist

MONO 20 P/L

Finishes

Standard surface finishes for basic system 20 P/L



Silk


Standard surface finishes for basic system Mono 20 P/L light



Grey



Black



White

Standard surface finishes for merchandise supports



Silk



Black steel duro

* Duro surface finishes are ideal for all systems, products and supports that are subject to heavy wear.

** Larger accessory range available on request.

INVISIBLE 6 P/L

Finishes

Standard surface finishes for basic system



Silk



Black anodised aluminium

Standard surface finishes for merchandise supports




Silk



Black steel duro

Shelf materials Glass




Glass, clear



Glass, satin finish



Glass, satin finish, black underside



Glass, satin finish, white underside

* Duro surface finishes are ideal for all systems, products and supports that are subject to heavy wear.

** Larger accessory range available on request.

XERO TWIN P/L

Finishes

Standard surface finishes for basic system



Natural anodised aluminium



Black anodised aluminium

Standard surface finishes for merchandise supports



Black steel duro



Light silver duro

* Duro surface finishes are ideal for all systems, products and supports that are subject to heavy wear.

** Larger accessory range available on request.

BEAM

Finishes

Standard surface finishes for basic system



Natural anodised aluminium

Standard surface finishes for merchandise supports



Silk

* Duro surface finishes are ideal for all systems, products and supports that are subject to heavy wear.

** Larger accessory range available on request.



Enter to visit Vitro Products

How to purchase
All products are available at the
Sepio Store, 1000 Sepio Ave, San Francisco, CA 94103
or at the Sepio Store, 1000 Sepio Ave, San Francisco, CA 94103

Product
Price

The Price
The price of the following
products is \$100.00. The price of the
following products is \$200.00. The price of the
following products is \$300.00.

These items are not available in stores or
online. All items are available only
at the Sepio Store in San Francisco.

AVILATED | vitroz

Sepio

Sepio

Sepio

Sepio





An AirClad-X Pirellist

(XLITE)

This a crossbrace-compatible, interior plug & play lighting system for EXPRO.

Each XLITE has a 2m track system for mounting spot lights, pendants and strip lighting. These tracks can be daisy chained together to efficiently illuminate larger spaces, with the option for dimmable luminaires on request.

All track lighting comes white as standard, with the option for black and other bespoke colours on request.



[XLITE]



An AirClad X Pricelist

XLITE

- 2m Light Track System
- Luminaires options for track
- Prices available on request



2m light track system in white or black, allowing for 3 lights. Multiple luminaires options are available upon request.

2000	100	210	6
Length (mm)	Width (mm)	Depth (mm)	Weight (kg)

€ 695

XPO-LGT-TRK-3



(XLITE)



An AirClad X Pricelist

XHEAT

- Zero light infrared heater
- Aluminium surface, white ceramic coating



Fixed electric high temperature infrared heater with white ceramic coating and extruded, anodised aluminium rear case. 220 - 240V 50 Hz.

1400	160	200	7
Length (mm)	Width (mm)	Depth (mm)	Weight (kg)

€ 1240

XPO-XH



(XHEAT)



An AirClad X Pricelist

MADE IN THE FUTURE

(X)

**AirClad Ltd
Essenstraat 5
2060
Antwerp
Belgium**

www.airclad.com

**AirClad Ltd
The Echo Building
18 Albert Road
Bournemouth
BH1 1BZ**

+44 (0) 1202 942 475

AirClad [X] is a sub brand of AirClad Ltd. All the information given is to the best of our knowledge at time of issue and should be taken as guidelines only. AirClad reserves the right to amend design specification and prices at any time. All images used are for visual purposes only and should not be taken as exact version of product being offered. Technical details available upon request. All product and design rights reserved AirClad Ltd 2025.