

XPO 6

(EX
PRO)
SYSTEM

(X)

Updated 06/04/22
by SC

**XPO
TECHNICAL DATA
6m by 7.5m**


XP 06

(x)

CONTENTS



6m by 7.5m

INTRODUCTION	03
CORE PACKAGE	04
COMPARISON CHART	05
ELEVATIONS	06
VISUALS	11



XPO

INTRODUCTION



(X)

This Technical Data document is designed to assist prospective clients and operators by offering a scope of the physical aspects of this AirClad X structure. The information provided is intended as a guide and should not be used to overlay detailed plans. 3D CAD files are available for project-specific applications on request.

Our flagship product, the AirClad XPO System is single-height, mobile architecture for the events world. It provides the ultimate platform to showcase your brand and inspires people to be a part of it.

3m high as standard and available in a range of widths from 6m as standard, the XPO is modular in depth, extending away from the fascia in 2.5m increments.

Designed for maximum efficiency in production, with design details that negate the need for nuts and bolts, the XPO is easy to assemble and efficient to transport. The core XPO package includes all parts required to assemble a sealed, secure space, ready for interior fit out.

Quality finishes create a premium feel, inside and out. The Space Frames and Cross Braces are double powder coated for durability in a choice of RAL colours. The Fascia uprights, as with the door frames, are finished in a premium, textured black powder coat.

The integrated raised flooring features 150mm floor cavities to run electrics and AV cabling to preserve the clean aesthetic of the internal space. 18mm plywood floor has a tough resin-coat and comes ready for a range of internal floor finishes to make the space your own. A 5KPA loading ensures the XPO is ready for anything.

The front fascia on the XPO incorporates a double sliding door system and is supplied with a clip-on 1m deep ramp for easy access. The rear fascia is fully closed as standard with doors available as an option.

The XPO is proudly designed and produced in the EU and is engineered to Euro Code 13782.

NOTE

For the purposes of the data sheets, the information provided is based on single double sliding doors to the front with a closed fascia to the rear. For information on operations and health and safety please refer to product logbook.

XPO 6 x 7.5**CORE PACKAGE**

Structural Frames:	4
Cross bracing:	21
Flooring:	3 centre boards 12 whole boards 6 end boards
Double sliding door system with ramp access:	1
Glazing:	6 square sheets 4 rounded edge sheets
AirCells:	3
Air management systems:	1
Connection Hoses:	3
OPTIONAL EXTRAS	
Number of Stillages:	1
Weight of Stillage:	295 kg

PACKED STRUCTURE DETAILS

Max Packed Size:	6.15m x 1.17m x 2.40m
Packed weight:	2723 kg

BUILT STRUCTURE DETAILS

Max External footprint:	6.3 m by 7.6 m (47.9 m ²)
Internal usable area:	5.6 m by 7.4 m (41.4 m ²)
Max height:	3.37 m
Max entrance / exit opening:	1.85 m by 2.51 m high
Frame Cross section:	100 mm by 100 mm
Cross bracing cross section:	50mm Diameter
Structure total weight:	2416 kg
Lorry Side Curtain Size:	8.45m x 2.50m x 2.60m

MATERIALS

Aircells:	FR treated polyester re enforced PVC
Frame:	Powder coated extruded Aluminium
Cross bracing:	Powder coated mild steel
Flooring:	18mm thick resin coated ply wood
Flooring braces:	50mm galvanized box section steel
Glazing:	6mm Polycarbonate

POWER

Air Management system: draws 1.4amp

INSTALLATION AND DERIG GUIDE

Crew:	min 5 people
Crew Leader:	1 person
Set up time:	from 2,5 hours
Derig time:	from 2,5 hours
Tools required:	General site tools plus 2 x step ladders and 1x4m easy move scaffold tower

NOTE

The above refers to setting up the structures, fixing and pressurising of air cells only. The guides supplied represent minimum required action to achieve a safe and secure installation. The times indicated may vary due to site conditions, access, weather and other elements outside of our control. We always advise pre-installation site visits where possible in advance of any goods arriving on site. AirClad accepts no responsibility for damages to equipment, structures, injuries to persons, or loss of earnings due to structure installation methods outside of their own crew control.

XPO 6 x 7.5**COMPARISON CHART**

XPO 6		2.5	5	7.5	10	12.5	15
SYSTEM	COMPONENTS	QUANTITY					
Main Frame	Upper Outer Frame	2	2	2	2	2	2
	Lower Outer Frame	2	2	2	2	2	2
	Upper Inner Frame	0	1	2	3	4	5
	Lower Inner Frame	0	1	2	3	4	5
Cross Brace	Single Cross Brace	5	10	15	20	25	30
	Double Cross Brace	2	4	6	8	10	12
Flooring	Middle Floor Board	1	2	3	4	5	6
	Standard Floor Board	4	8	12	16	20	24
	Edge Floor Board	2	4	6	8	10	12
	Access Ramp (2m)	1	1	1	1	1	1
Fascia Glazing	Fascia Panel Straight	6	6	6	6	6	6
	Fascia Panel Rounded	4	4	4	4	4	4
	Fascia Panel Above Door	1	1	1	1	1	1
	Fascia Washer	44	44	44	44	44	44
Fascia Uprights	Fascia Upright	7	7	7	7	7	7
	Fascia Upright Cover Strip	7	7	7	7	7	7
	S-Door Upright	2	2	2	2	2	2
	S-Door Cover Strip	2	2	2	2	2	2

This chart is to give an overview of the differences from one system size to the next. It is intended to assist in cases where sites, access, set up times may affect what is possible with a project.



XPO 6		2.5	5	7.5	10	12.5	15
SYSTEM	COMPONENTS	QUANTITY					
Sliding Door Set	Sliding Door Left (With Poly)	1	1	1	1	1	1
	Sliding Door Right (With Poly)	1	1	1	1	1	1
	Sliding Door Rail	1	1	1	1	1	1
	Sliding Door Guide	1	1	1	1	1	1
Aircells	Full Aircell	1	2	3	4	5	6
Air Management	Fan	1	1	1	1	1	1
	Hose Set	1	2	3	4	5	6
	Jubilee Clips	3	6	9	12	15	18
	Valve Caps	4	8	12	16	20	24
	Valve Connectors	1	2	3	4	5	6
Packaging	Stillage	1	1	1	1	1	2
(Optional Extras)	Stillage Cover	1	1	1	1	1	2
	Aircell Bag	1	2	3	4	5	6
STRUCTURE WEIGHT (KG)		1153	1784	2416	3047	3679	4310



Disclaimer

Please note the information in the document is offered as guidance only. AirClad and its partners accept no liability for variations in dimensions, weights, and written information provided. AirClad and its partners reserve the right to alter or delete any information provided at any time.

XPO 6 x 7.5

ELEVATIONS


All sizes in mm.




XPO 6 x 7.5

ELEVATIONS

All sizes in mm.



SIDE ELEVATION & SECTION




SECTION


XPO 6 x 7.5

ELEVATIONS

All sizes in mm.



FRONT FASCIA ELEVATION
(INSIDE VIEW)






REAR FASCIA ELEVATION
(INSIDE VIEW)

XPO 6 x 7.5

ELEVATIONS

All sizes in mm.




FLOOR PLAN
(X3)

STILLAGES

XPO 6 x 7.5

ELEVATIONS



Item No.	Description	QTY.
①	Closed Fascia	1
②	Mid Fascia	2
③	Cross Brace Double	6
④	Ramp H100 L1955	1
⑤	Cross Brace Single	33
⑥	Floor XPO 6	3
⑦	Door Fascia	1
⑧	AirCell XPO 6	3

XPO 6 x 7.5

VISUALS



(X)



SPACE FOR LIFE

AirClad Ltd
57 Canbury Park Road
Kingston
London
KT2 6LQ

info@airclad.com
www.airclad.com

#FASTARCHITECTURE